


Envistar Flex (ELEF)


060	100	150	190	240	300	360	400
400E*	480	600	740	850	980	1250	1540

ELEF - 060



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	736 x 287	360	7	1,6
Bag filter	M5	ePM10-60%	1	736 x 287	370	8	2,1
Bag filter	M6	ePM2,5-50%	1	736 x 287	370	11	2,6
Bag filter	F7	ePM1-50%	1	736 x 287	370	11	2,6
Bag filter	F7	ePM1-60%	1	736 x 287	370	11	2,6
Bag filter	F8	ePM1-70%	1	736 x 287	370	11	2,6
Bag filter	F9	ePM1-85%	1	736 x 287	370	11	2,6
Panel filter	P4	-	1	736 x 287	48	-	-
Aluminium filter	-	-	1	736 x 287	25	-	-
Carbon filter	C7	ePM1-70%	-	-	-	-	-

ELEF - 100




Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	892 × 409	360	8	2,5
Bag filter	M5	ePM10-60%	1	892 × 409	370	9	3,2
Bag filter	M6	ePM2,5-50%	1	892 × 409	370	14	4,6
Bag filter	F7	ePM1-50%	1	892 × 409	370	15	4,9
Bag filter	F7	ePM1-60%	1	892 × 409	370	15	4,9
Bag filter	F8	ePM1-70%	1	892 × 409	370	15	4,9
Bag filter	F9	ePM1-85%	1	892 × 409	370	14	4,6
Panel filter	P4	-	1	736 × 393	48	-	-
Aluminium filter	-	-	1	892 × 409	25	-	-
Carbon filter	C7	ePM1-70%	-	-	-	-	-

ELEF - 150



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	3,9
			1	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	6,1
			1	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Panel filter	P4	-	1	292 × 596	48	-	-
			1	596 × 596	48	-	
Aluminium filter	-	-	1	287 × 592	25	-	-
			1	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	1	287 × 592	292	-	-
			1	592 × 592	292	-	


ELEF - 190



1400 × 735

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	2	592 × 592	360	6	5,2
Bag filter	M5	ePM10-60%	2	592 × 592	520	6	8,4
Bag filter	M6	ePM2,5-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-60%	2	592 × 592	520	10	13,0
Bag filter	F8	ePM1-70%	2	592 × 592	520	10	13,0
Bag filter	F9	ePM1-85%	2	592 × 592	520	10	13,0
Panel filter	P4	-	2	596 × 596	48	-	-
Aluminium filter	-	-	2	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	2	592 × 592	292	-	-


ELEF - 240



1400 × 843

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	2	592 × 592	360	6	5,2
Bag filter	M5	ePM10-60%	2	592 × 592	520	6	8,4
Bag filter	M6	ePM2,5-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-60%	2	592 × 592	520	10	13,0
Bag filter	F8	ePM1-70%	2	592 × 592	520	10	13,0
Bag filter	F9	ePM1-85%	2	592 × 592	520	10	13,0
Panel filter	P4	-	2	596 × 596	48	-	-
Aluminium filter	-	-	2	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	2	592 × 592	292	-	-


ELEF - 300



1616 × 843

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	6,5
			2	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	10,2
			2	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Panel filter	P4	-	1	292 × 596	48	-	-
			2	596 × 596	48		
Aluminium filter	-	-	1	287 × 592	25	-	-
			2	592 × 592	25		
Carbon filter	C7	ePM1-70%	1	287 × 592	292	-	-
			2	592 × 592	292		

ELEF - 360




1616 × 1030

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	9,1
			2	592 × 287	360	6	
			2	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	14,6
			2	592 × 287	520	6	
			2	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Panel filter	P4	-	3	292 × 592	48	-	-
			2	592 × 592	48		
Aluminium filter	-	-	3	287 × 592	25	-	-
			2	592 × 592	25		
Carbon filter	C7	ePM1-70%	3	287 × 592	292	-	-
				592 × 592	292		

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
			2				

ELEF - 400




Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	3	592 x 592	360	6	2,6
Bag filter	M5	ePM10-60%	3	592 x 592	520	6	12,3
Bag filter	M6	ePM2,5-50%	3	592 x 592	520	10	19,5
Bag filter	F7	ePM1-50%	3	592 x 592	520	10	19,5
Bag filter	F7	ePM1-60%	3	592 x 592	520	10	19,5
Bag filter	F8	ePM1-70%	3	592 x 592	520	10	19,5
Bag filter	F9	ePM1-85%	3	592 x 592	520	10	19,5
Panel filter	P4	-	3	592 x 592	48	-	1,1
Aluminium filter	-	-	3	592 x 592	25	-	1,1
Carbon filter	C7	ePM1-70%	3	592 x 592	292	-	24

ELEF - 400 Energifilter



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	3	592 x 792	360	6	3,5
Bag filter	M5	ePM10-60%	3	592 x 792	520	6	16,2
Bag filter	M6	ePM2,5-50%	3	592 x 792	520	9	23,1
Bag filter	F7	ePM1-60%	3	592 x 792	520	9	23,1
Bag filter	F8	ePM1-85%	3	592 x 792	520	9	23,1
Bag filter	F9	ePM1-85%	3	592 x 792	520	9	23,1


ELEF - 480



1990 × 1030

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	3	592 × 287	360	6	11,7
			3	592 × 592	360	6	
Bag filter	M5	ePM10-60%	3	592 × 287	520	6	18,9
			3	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F7	ePM1-50%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F7	ePM1-60%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F8	ePM1-70%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F9	ePM1-85%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Panel filter	P4	-	3	596 × 292	48	-	-
			3	596 × 596	48	-	
Aluminium filter	-	-	3	592 × 287	25	-	-
			3	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	3	592 × 287	292	-	-
			3	592 × 592	292	-	

ELEF - 600




2200 × 1135

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	13,0
			3	592 × 287	360	6	
			3	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	20,9
			3	592 × 287	520	6	
			3	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	27,0
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Panel filter	P4	-	4	596 × 292	48	-	-
			3	596 × 596	48	-	
Aluminium filter	-	-	4	592 × 287	25	-	-
			3	592 × 592	25	-	

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
Carbon filter	C7	ePM1-70%	4	592 × 287	292	-	-
			3	592 × 592	292		

ELEF - 740



2480 × 1240


Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	4	592 × 287	360	6	15,6
			4	592 × 592	360	6	
Bag filter	M5	ePM10-60%	4	592 × 287	520	6	25,2
			4	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	4	592 × 287	520	10	32,4
			4	592 × 592	520	10	
Bag filter	F7	ePM1-50%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Bag filter	F7	ePM1-60%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Bag filter	F8	ePM1-70%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Bag filter	F9	ePM1-85%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Panel filter	P4	-	4	596 × 292	48	-	-
			4	596 × 596	48	-	
Aluminium filter	-	-	4	592 × 287	25	-	-
			4	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	4	592 × 287	292	-	-
			4	592 × 592	292	-	

ELEF - 850



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	8	592 × 592	360	6	20,8
Bag filter	M5	ePM10-60%	8	592 × 592	520	6	32,8
Bag filter	M6	ePM2,5-50%	8	592 × 592	520	10	52,0
Bag filter	F7	ePM1-50%	8	592 × 592	520	10	52,0
Bag filter	F7	ePM1-60%	8	592 × 592	520	10	52,0
Bag filter	F8	ePM1-70%	8	592 × 592	520	10	52,0
Bag filter	F9	ePM1-85%	8	592 × 592	520	10	52,0
Panel filter	P4	-	8	596 × 596	48	-	-
Aluminium filter	-	-	8	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	8	592 × 592	292	-	-


ELEF - 980



2860 × 1445

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	2	287 × 592	360	3	23,4
			8	592 × 592	360	6	
Bag filter	M5	ePM10-60%	2	287 × 592	520	3	36,8
			8	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F7	ePM1-50%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F7	ePM1-60%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F8	ePM1-70%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F9	ePM1-85%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Panel filter	P4	-	2	292 × 596	48	-	-
			8	596 × 596	48		
Aluminium filter	-	-	2	287 × 592	25	-	-
			8	592 × 592	25		
Carbon filter	C7	ePM1-70%	2	287 × 592	292	-	-
			8	592 × 592	292		


ELEF - 1250



2580 × 1680

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	4	592 × 287	360	6	26,0
			8	592 × 592	360	6	
Bag filter	M5	ePM10-60%	4	592 × 287	520	6	41,6
			8	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F7	ePM1-50%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F7	ePM1-60%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F8	ePM1-70%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F9	ePM1-85%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Aluminium filter	-	-	4	592 × 287	25	-	-
			8	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	4	592 × 287	292	-	-
			8	592 × 592	292	-	


ELEF - 1540



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	5	592 × 287	360	6	32,5
			10	592 × 592	360	6	
Bag filter	M5	ePM10-60%	5	592 × 287	520	6	52,0
			10	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F7	ePM1-50%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F7	ePM1-60%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F8	ePM1-70%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F9	ePM1-85%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Aluminium filter	-	-	5	592 × 287	25	-	-
			10	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	5	592 × 287	292	-	-
			10	592 × 592	292	-	



Envistar Top ETFL

ETFL - 04





Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
T	Bag filter	M5	ePM10-60%	1	650 × 287	320	8	1,7
T	Bag filter	F7	ePM1-50%	1	650 × 287	320	11	2,2
T	Bag filter	F7	ePM1-60%	1	650 × 287	320	11	2,2
F	Bag filter	M5	ePM10-60%	1	650 × 287	320	8	1,7
F	Bag filter	F7	ePM1-50%	1	650 × 287	320	11	2,2
F	Bag filter	F7	ePM1-60%	1	650 × 287	320	11	2,2
M	Bag filter	M5	ePM10-60%	1	650 × 287	320	8	1,7
M	Bag filter	F7	ePM1-50%	1	650 × 287	320	11	2,2
M	Bag filter	F7	ePM1-60%	1	650 × 287	320	11	2,2

ETFL - 06




Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
T	Bag filter	M5	ePM10-60%	1	790 × 375	400	8	2,8
T	Bag filter	F7	ePM1-50%	1	790 × 375	400	13	4,2
T	Bag filter	F7	ePM1-60%	1	790 × 375	400	13	4,2
F	Bag filter	M5	ePM10-60%	1	790 × 287	370	8	2,1
F	Bag filter	F7	ePM1-50%	1	790 × 287	370	11	2,7
F	Bag filter	F7	ePM1-60%	1	790 × 287	370	11	2,7
M	Bag filter	M5	ePM10-60%	1	790 × 287	370	8	2,1
M	Bag filter	F7	ePM1-50%	1	790 × 287	370	11	2,7
M	Bag filter	F7	ePM1-60%	1	790 × 287	370	11	2,7

ETFL - 09




Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
T	Bag filter	M5	ePM10-60%	1	892 × 380	520	10	4,6
T	Bag filter	F7	ePM1-50%	1	892 × 380	520	15	6,4
T	Bag filter	F7	ePM1-60%	1	892 × 380	520	15	6,4
F	Bag filter	M5	ePM10-60%	1	892 × 315	520	9	3,6
F	Bag filter	F7	ePM1-50%	1	892 × 315	520	15	5,4
F	Bag filter	F7	ePM1-60%	1	892 × 315	520	15	5,4
M	Bag filter	M5	ePM10-60%	1	892 × 315	520	9	3,6
M	Bag filter	F7	ePM1-50%	1	892 × 315	520	15	5,4
M	Bag filter	F7	ePM1-60%	1	892 × 315	520	15	5,4

ETFL - 10




Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
T	Bag filter	M5	ePM10-60%	1	892 × 380	520	10	4,6
T	Bag filter	F7	ePM1-50%	1	892 × 380	520	15	6,4
T	Bag filter	F7	ePM1-60%	1	892 × 380	520	15	6,4
F	Bag filter	M5	ePM10-60%	1	892 × 380	520	10	4,6
F	Bag filter	F7	ePM1-50%	1	892 × 380	520	15	6,4
F	Bag filter	F7	ePM1-60%	1	892 × 380	520	15	6,4
M	Bag filter	M5	ePM10-60%	1	892 × 380	520	10	4,6
M	Bag filter	F7	ePM1-50%	1	892 × 380	520	15	6,4
M	Bag filter	F7	ePM1-60%	1	892 × 380	520	15	6,4

ETFL - 12




Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
T	Bag filter	M5	ePM10-60%	2	550 × 470	520	6	6,6
T	Bag filter	F7	ePM1-50%	2	550 × 470	520	9	9,4
T	Bag filter	F7	ePM1-60%	2	550 × 470	520	9	9,4
F	Bag filter	M5	ePM10-60%	2	550 × 315	520	6	4,6
F	Bag filter	F7	ePM1-50%	2	550 × 315	520	10	7,0
F	Bag filter	F7	ePM1-60%	2	550 × 315	520	10	7,0
M	Bag filter	M5	ePM10-60%	2	550 × 315	520	6	4,6
M	Bag filter	F7	ePM1-50%	2	550 × 315	520	10	7,0
M	Bag filter	F7	ePM1-60%	2	550 × 315	520	10	7,0

ETFL - 16



Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
T	Bag filter	M5	ePM10-60%	2	592 x 490	520	6	6,8
T	Bag filter	F7	ePM1-50%	2	592 x 490	520	10	10,8
T	Bag filter	F7	ePM1-60%	2	592 x 490	520	10	10,8
F	Bag filter	M5	ePM10-60%	2	592 x 400	520	6	5,8
F	Bag filter	F7	ePM1-50%	2	592 x 400	520	10	8,8
F	Bag filter	F7	ePM1-60%	2	592 x 400	520	10	8,8

ETFL - 21




Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
T	Bag filter	M5	ePM10-60%	1 2	287 x 592 592 x 592	520 520	3 6	10,2
T	Bag filter	F7	ePM1-50%	1 2	287 x 592 592 x 592	520 520	5 10	16,5
T	Bag filter	F7	ePM1-60%	1 2	287 x 592 592 x 592	520 520	5 10	16,5

Filter placement	Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
		EN 779:2012	ISO 16890		W x H	L		
					592 × 592			
F	Bag filter	M5	ePM10-60%	1 2	320 × 400 592 × 400	520 520	4 6	7,7
F	Bag filter	F7	ePM1-50%	1 2	320 × 400 592 × 400	520 520	6 10	11,6
F	Bag filter	F7	ePM1-60%	1 2	320 × 400 592 × 400	520 520	6 10	11,6

Flexomix (ELEF)


060	100	150	190	240
300	360	400	400E*	480
600	740	750	850	950
980	1150	1250	1540	1550
1950	2050	2240	2550	3150

ELEF - 060




Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	736 x 287	360	7	1,6
Bag filter	M5	ePM10-60%	1	736 x 287	370	8	2,1
Bag filter	M6	ePM2,5-50%	1	736 x 287	370	11	2,6
Bag filter	F7	ePM1-50%	1	736 x 287	370	11	2,6
Bag filter	F7	ePM1-60%	1	736 x 287	370	11	2,6
Bag filter	F8	ePM1-70%	1	736 x 287	370	11	2,6
Bag filter	F9	ePM1-85%	1	736 x 287	370	11	2,6
Panel filter	P4	-	1	736 x 287	48	-	-
Aluminium filter	-	-	1	736 x 287	25	-	-
Carbon filter	C7	ePM1-70%	-	-	-	-	-

ELEF - 100



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	892 × 409	360	8	2,5
Bag filter	M5	ePM10-60%	1	892 × 409	370	9	2,1
Bag filter	M6	ePM2,5-50%	1	892 × 409	370	14	2,5
Bag filter	F7	ePM1-50%	1	892 × 409	370	15	2,5
Bag filter	F7	ePM1-60%	1	892 × 409	370	15	2,5
Bag filter	F8	ePM1-70%	1	892 × 409	370	15	2,7
Bag filter	F9	ePM1-85%	1	892 × 409	370	14	2,7
Panel filter	P4	-	1	736 × 393	48	-	-
Aluminium filter	-	-	1	892 × 409	25	-	-
Carbon filter	C7	ePM1-70%	-	-	-	-	-


ELEF - 150



1120 × 735


Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	3,9
			1	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	6,1
			1	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	9,7
			1	592 × 592	520	10	
Panel filter	P4	-	1	292 × 596	48	-	-
			1	596 × 596	48	-	
Aluminium filter	-	-	1	287 × 592	25	-	-
			1	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	1	287 × 592	292	-	-
			1	592 × 592	292	-	

ELEF - 190



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	2	592 × 592	360	6	5,2
Bag filter	M5	ePM10-60%	2	592 × 592	520	6	8,2
Bag filter	M6	ePM2,5-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-60%	2	592 × 592	520	10	13,0
Bag filter	F8	ePM1-70%	2	592 × 592	520	10	13,0
Bag filter	F9	ePM1-85%	2	592 × 592	520	10	13,0
Panel filter	P4	-	2	596 × 596	48	- -	-
Aluminium filter	-	-	2	592 × 592	25	- -	-
Carbon filter	C7	ePM1-70%	2	592 × 592	292	- -	-


ELEF - 240



1400 × 843

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	2	592 × 592	360	6	5,2
Bag filter	M5	ePM10-60%	2	592 × 592	520	6	8,2
Bag filter	M6	ePM2,5-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-50%	2	592 × 592	520	10	13,0
Bag filter	F7	ePM1-60%	2	592 × 592	520	10	13,0
Bag filter	F8	ePM1-70%	2	592 × 592	520	10	13,0
Bag filter	F9	ePM1-85%	2	592 × 592	520	10	13,0
Panel filter	P4	-	2	596 × 596	48	-	-
Aluminium filter	-	-	2	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	2	592 × 592	292	-	-


ELEF - 300



1616 × 843

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	6,5
			2	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	10,2
			2	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	16,2
			2	592 × 592	520	10	
Panel filter	P4	-	1	292 × 596	48	-	-
			2	596 × 596	48		
Aluminium filter	-	-	1	287 × 592	25	-	-
			2	592 × 592	25		
Carbon filter	C7	ePM1-70%	1	287 × 592	292	-	-
			2	592 × 592	292		

ELEF - 360




1616 × 1030

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	9,1
			2	592 × 287	360	6	
			2	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	14,6
			2	592 × 287	520	6	
			2	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	22,8
			2	592 × 287	520	10	
			2	592 × 592	520	10	
Panel filter	P4	-	3	292 × 592	48	-	-
			2	592 × 592	48	-	
Aluminium filter	-	-	3	287 × 592	25	-	-
			2	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	3	287 × 592	292	-	-
			2	592 × 592	292	-	



ELEF - 400




Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	3	592 x 592	360	6	2,6
Bag filter	M5	ePM10-60%	3	592 x 592	520	6	12,3
Bag filter	M6	ePM2,5-50%	3	592 x 592	520	10	19,5
Bag filter	F7	ePM1-50%	3	592 x 592	520	10	19,5
Bag filter	F7	ePM1-60%	3	592 x 592	520	10	19,5
Bag filter	F8	ePM1-70%	3	592 x 592	520	10	19,5
Bag filter	F9	ePM1-85%	3	592 x 592	520	10	19,5
Panel filter	P4	-	3	592 x 592	48	-	1,1
Aluminium filter	-	-	3	592 x 592	25	-	1,1
Carbon filter	C7	ePM1-70%	3	592 x 592	292	-	24

ELEF - 400 Energifilter



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	3	592 x 792	360	6	3,5
Bag filter	M5	ePM10-60%	3	592 x 792	520	6	16,2
Bag filter	M6	ePM2,5-50%	3	592 x 792	520	9	23,1
Bag filter	F7	ePM1-60%	3	592 x 792	520	9	23,1
Bag filter	F8	ePM1-85%	3	592 x 792	520	9	23,1
Bag filter	F9	ePM1-85%	3	592 x 792	520	9	23,1


ELEF - 480



1990 × 1030

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	3	592 × 287	360	6	11,7
			3	592 × 592	360	6	
Bag filter	M5	ePM10-60%	3	592 × 287	520	6	18,9
			3	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F7	ePM1-50%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F7	ePM1-60%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F8	ePM1-70%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Bag filter	F9	ePM1-85%	3	592 × 287	520	10	29,4
			3	592 × 592	520	10	
Panel filter	P4	-	3	596 × 292	48	-	-
			3	596 × 596	48	-	
Aluminium filter	-	-	3	592 × 287	25	-	-
			3	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	3	592 × 287	292	-	-
			3	592 × 592	292	-	

ELEF - 600



2200 × 1135

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	1	287 × 592	360	3	13,0
			3	592 × 287	360	6	
			3	592 × 592	360	6	
Bag filter	M5	ePM10-60%	1	287 × 592	520	3	20,9
			3	592 × 287	520	6	
			3	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	1	287 × 592	520	5	27,0
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F7	ePM1-50%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F7	ePM1-60%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F8	ePM1-70%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Bag filter	F9	ePM1-85%	1	287 × 592	520	5	32,6
			3	592 × 287	520	10	
			3	592 × 592	520	10	
Panel filter	P4	-	4	596 × 292	48	-	-
			3	596 × 596	48	-	
Aluminium filter	-	-	4	592 × 287	25	-	-
			3	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	4	592 × 287	292	-	-


Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m ²)
	EN 779:2012	ISO 16890		W x H	L		
			3	592 × 592	292		

ELEF - 740



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	4	592 × 287	360	6	15,6
			4	592 × 592	360	6	
Bag filter	M5	ePM10-60%	4	592 × 287	520	6	25,2
			4	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	4	592 × 287	520	10	32,4
			4	592 × 592	520	10	
Bag filter	F7	ePM1-50%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Bag filter	F7	ePM1-60%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Bag filter	F8	ePM1-70%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Bag filter	F9	ePM1-85%	4	592 × 287	520	10	39,2
			4	592 × 592	520	10	
Panel filter	P4	-	4	596 × 292	48	-	-
			4	596 × 596	48	-	
Aluminium filter	-	-	4	592 × 287	25	-	-
			4	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	4	592 × 287	292	-	-
			4	592 × 592	292	-	

ELEF - 750




Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	6	592 × 592	360	6	15,6
Bag filter	M5	ePM10-60%	6	592 × 592	520	6	24,6
Bag filter	M6	ePM2,5-50%	6	592 × 592	520	10	39,0
Bag filter	F7	ePM1-50%	6	592 × 592	520	10	39,0
Bag filter	F7	ePM1-60%	6	592 × 592	520	10	39,0
Bag filter	F8	ePM1-70%	6	592 × 592	520	10	39,0
Bag filter	F9	ePM1-85%	6	592 × 592	520	10	39,0
Panel filter	P4	-	6	596 × 596	48	-	-
Aluminium filter	-	-	6	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	6	592 × 592	292	-	-

ELEF - 850



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	8	592 × 592	360	6	20,8
Bag filter	M5	ePM10-60%	8	592 × 592	520	6	32,8
Bag filter	M6	ePM2,5-50%	8	592 × 592	520	10	52,0
Bag filter	F7	ePM1-50%	8	592 × 592	520	10	52,0
Bag filter	F7	ePM1-60%	8	592 × 592	520	10	52,0
Bag filter	F8	ePM1-70%	8	592 × 592	520	10	52,0
Bag filter	F9	ePM1-85%	8	592 × 592	520	10	52,0
Panel filter	P4	-	8	596 × 596	48	-	-
Aluminium filter	-	-	8	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	8	592 × 592	292	-	-

ELEF - 950




2020 × 1660

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	3	592 × 287	360	6	19,5
			6	592 × 592	360	6	
Bag filter	M5	ePM10-60%	3	592 × 287	520	6	31,2
			6	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	3	592 × 287	520	10	48,9
			6	592 × 592	520	10	
Bag filter	F7	ePM1-50%	3	592 × 287	520	10	48,9
			6	592 × 592	520	10	
Bag filter	F7	ePM1-60%	3	592 × 287	520	10	48,9
			6	592 × 592	520	10	
Bag filter	F8	ePM1-70%	3	592 × 287	520	10	48,9
			6	592 × 592	520	10	
Bag filter	F9	ePM1-85%	3	592 × 287	520	10	48,9
			6	592 × 592	520	10	
Panel filter	P4	-	3	596 × 292	48	-	-
			6	596 × 596	48	-	
Aluminium filter	-	-	3	592 × 287	25	-	-
			6	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	3	592 × 287	292	-	-
			6	592 × 592	292	-	




ELEF - 980



2860 × 1445

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	2	287 × 592	360	3	23,4
			8	592 × 592	360	6	
Bag filter	M5	ePM10-60%	2	287 × 592	520	3	36,8
			8	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F7	ePM1-50%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F7	ePM1-60%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F8	ePM1-70%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Bag filter	F9	ePM1-85%	2	287 × 592	520	5	58,4
			8	592 × 592	520	10	
Panel filter	P4	-	2	292 × 596	48	-	-
			8	596 × 596	48		
Aluminium filter	-	-	2	287 × 592	25	-	-
			8	592 × 592	25		
Carbon filter	C7	ePM1-70%	2	287 × 592	292	-	-
			8	592 × 592	292		


ELEF - 1150



2040 × 2040

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	9	592 × 592	360	6	23,4
Bag filter	M5	ePM10-60%	9	592 × 592	520	6	36,9
Bag filter	M6	ePM2,5-50%	9	592 × 592	520	10	58,5
Bag filter	F7	ePM1-50%	9	592 × 592	520	10	58,5
Bag filter	F7	ePM1-60%	9	592 × 592	520	10	58,5
Bag filter	F8	ePM1-70%	9	592 × 592	520	10	58,5
Bag filter	F9	ePM1-85%	9	592 × 592	520	10	58,5
Aluminium filter	-	-	9	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	9	592 × 592	292	-	-


ELEF - 1250



2580 × 1680

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	4	592 × 287	360	6	26,0
			8	592 × 592	360	6	
Bag filter	M5	ePM10-60%	4	592 × 287	520	6	41,6
			8	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F7	ePM1-50%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F7	ePM1-60%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F8	ePM1-70%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Bag filter	F9	ePM1-85%	4	592 × 287	520	10	65,2
			8	592 × 592	520	10	
Aluminium filter	-	-	4	592 × 287	25	-	-
			8	592 × 592	25		
Carbon filter	C7	ePM1-70%	4	592 × 287	292	-	-
			8	592 × 592	292	-	


ELEF - 1540



3180 × 1680


Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	5	592 × 287	360	6	32,5
			10	592 × 592	360	6	
Bag filter	M5	ePM10-60%	5	592 × 287	520	6	52,0
			10	592 × 592	520	6	
Bag filter	M6	ePM2,5-50%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F7	ePM1-50%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F7	ePM1-60%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F8	ePM1-70%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Bag filter	F9	ePM1-85%	5	592 × 287	520	10	81,5
			10	592 × 592	520	10	
Aluminium filter	-	-	5	592 × 287	25	-	-
			10	592 × 592	25	-	
Carbon filter	C7	ePM1-70%	5	592 × 287	292	-	-
			10	592 × 592	292	-	

ELEF - 1550



Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	12	592 × 592	360	6	15,6
Bag filter	M5	ePM10-60%	12	592 × 592	520	6	49,2
Bag filter	M6	ePM2,5-50%	12	592 × 592	520	10	78,0
Bag filter	F7	ePM1-50%	12	592 × 592	520	10	78,0
Bag filter	F7	ePM1-60%	12	592 × 592	520	10	78,0
Bag filter	F8	ePM1-70%	12	592 × 592	520	10	78,0
Bag filter	F9	ePM1-85%	12	592 × 592	520	10	78,0
Aluminium filter	-	-	12	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	12	592 × 592	292	-	-


ELEF - 1950



2580 × 2580

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	16	592 × 592	360	6	41,6
Bag filter	M5	ePM10-60%	16	592 × 592	520	6	65,6
Bag filter	M6	ePM2,5-50%	16	592 × 592	520	10	104,0
Bag filter	F7	ePM1-50%	16	592 × 592	520	10	104,0
Bag filter	F7	ePM1-60%	16	592 × 592	520	10	104,0
Bag filter	F8	ePM1-70%	16	592 × 592	520	10	104,0
Bag filter	F9	ePM1-85%	16	592 × 592	520	10	104,0
Aluminium filter	-	-	16	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	16	592 × 592	292	-	-


ELEF - 2050



3180 × 2040

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	15	592 × 592	360	6	39,0
Bag filter	M5	ePM10-60%	15	592 × 592	520	6	61,5
Bag filter	M6	ePM2,5-50%	15	592 × 592	520	10	97,5
Bag filter	F7	ePM1-50%	15	592 × 592	520	10	97,5
Bag filter	F7	ePM1-60%	15	592 × 592	520	10	97,5
Bag filter	F8	ePM1-70%	15	592 × 592	520	10	97,5
Bag filter	F9	ePM1-85%	15	592 × 592	520	10	97,5
Aluminium filter	-	-	15	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	15	592 × 592	292	-	-


ELEF - 2240



3790 × 2040

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	18	592 × 592	360	6	46,8
Bag filter	M5	ePM10-60%	18	592 × 592	520	6	73,8
Bag filter	M6	ePM2,5-50%	18	592 × 592	520	10	117,0
Bag filter	F7	ePM1-50%	18	592 × 592	520	10	117,0
Bag filter	F7	ePM1-60%	18	592 × 592	520	10	117,0
Bag filter	F8	ePM1-70%	18	592 × 592	520	10	117,0
Bag filter	F9	ePM1-85%	18	592 × 592	520	10	117,0
Aluminium filter	-	-	18	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	18	592 × 592	292	-	-


ELEF - 2550



3180 × 2580

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	20	592 × 592	360	6	52,0
Bag filter	M5	ePM10-60%	20	592 × 592	520	6	82,0
Bag filter	M6	ePM2,5-50%	20	592 × 592	520	10	130,0
Bag filter	F7	ePM1-50%	20	592 × 592	520	10	130,0
Bag filter	F7	ePM1-60%	20	592 × 592	520	10	130,0
Bag filter	F8	ePM1-70%	20	592 × 592	520	10	130,0
Bag filter	F9	ePM1-85%	20	592 × 592	520	10	130,0
Aluminium filter	-	-	20	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	20	592 × 592	292	-	-

ELEF - 3150



3790 × 2580

Filter type	Filter standard		No of filters	Dimensions (mm)		No of bags/ filters	Total filter surface (m²)
	EN 779:2012	ISO 16890		W x H	L		
Bag filter	G4	Coarse-65%	24	592 × 592		6	62,4
Bag filter	M5	ePM10-60%	24	592 × 592	520	6	98,4
Bag filter	M6	ePM2,5-50%	24	592 × 592	520	10	156,0
Bag filter	F7	ePM1-50%	24	592 × 592	520	10	156,0
Bag filter	F7	ePM1-60%	24	592 × 592	520	10	156,0
Bag filter	F8	ePM1-70%	24	592 × 592	520	10	156,0
Bag filter	F9	ePM1-85%	24	592 × 592	520	10	156,0
Aluminium filter	-	-	24	592 × 592	25	-	-
Carbon filter	C7	ePM1-70%	24	592 × 592	25	-	-